
# 6 – Raak Plain Regional Catchment Strategy Implementation Plan





Mallee Regional Catchment Strategy 2013-19

This plan is a living document, which may be updated as required in light of new information or changing conditions. Whenever this document is revised, it will be uploaded to the Mallee CMA Website, replacing the old version.

To allow for ongoing review and renewal processes, some sections of the document may not be entirely complete at the time of publishing.

Publications produced by the Mallee Catchment Management Authority may be of assistance to you but the Mallee Catchment Management Authority and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purpose and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in any Mallee Catchment Management Authority publication.

| Version Control                |             |             |            |  |  |
|--------------------------------|-------------|-------------|------------|--|--|
| Version Number                 | Prepared by | Reviewed by | Date       |  |  |
| 1 (Presented on internal blog) | Sean Dwyer  | Jo Latta    | 06/11/2013 |  |  |
| 2                              | Amy Leamon  | Jo Latta    | 17/03/2017 |  |  |

© Mallee Catchment Management Authority 2017

# Contents

| Section 1 - Overview                                      | 5  |
|---|----|
| Catchment Asset Significance                              | 6  |
| Catchment Asset Value                                     | 6  |
| Threatening Processes                                     | 6  |
| Management Plans  | 7  |
| Management Actions  | 7  |
| Priorities  | 8  |
| Regional Delivery Partners                                | 10 |
| Community NRM Groups                                      | 10 |
| Section 2 – Regional Assets in this Catchment Asset       | 12 |
| Rivers  | 13 |
| Wetlands  | 13 |
| Threatened Species and Communities                        | 14 |
| Terrestrial Habitat                                       | 16 |
| Soils   | 19 |
| Agricultural Land   | 20 |
| Groundwater   | 21 |
| Cultural Heritage   | 21 |
| Community Capacity  | 22 |
| Section 3 – Threatening Processes in this Catchment Asset | 25 |
| Land & water salinisation                                 | 26 |
| Invasive Plants   | 28 |
| Invasive Animals  | 31 |
| Altered Hydrological Regimes                              |    |
| Soil Erosion  | 34 |
| Inappropriate Water Use Practices                         |    |
| Recreational Pressures                                    | 37 |
| Land Use Change   | 37 |
| Direct Off-site Interactions                              |    |
| Misaligned Community Perceptions                          | 39 |
| Inappropriate Fire Regimes                                | 39 |
| Constrained Regenerative Capacity                         | 40 |
| Section 4 – References & Appendices                       | 43 |
| References  | 44 |
| 1. The Value of Regional Assets within a Catchment Asset  | 45 |

| 2. Categorising Threatening Processes                | 45 |
|--|----|
| 3. Management Plans Relevant to this Catchment Asset | 46 |
| 4. Management Action Definitions                     | 47 |
| 5. Management Actions from Existing Management Plans | 48 |
| 6. Prioritising Potential Management Actions         | 52 |
| 7. Management Action Priorities                      | 53 |

Section 1 - Overview

# Catchment Asset Significance

Valued for its geological heritage, the Raak Plain shows active geomorphological processes including saline groundwater spring discharges, active erosion and dune building.

The Raak Plain is the largest (approximately 400 square kilometres) and most active natural groundwater discharge in Victoria and possibly South-East Australia, and listed on the national Directory of Important Wetlands.

The Raak Plain is a system of over 50 naturally saline lakes (often known as playas) and gypseous saltmarsh plains surrounded by dunes and ridges, and regarded as being of high conservation value due to the diversity of vegetation communities (e.g. Samphire and Low Chenopod Shrubland) and the presence of rare plant species (e.g. Bead Glasswort and Spiked Pigweed).

The area contains a number of sites of cultural significance and was a traditional meeting place for local Indigenous communities. The area also holds heritage values for European heritage with its history of gypsum mining and grazing.

## **Catchment Asset Value**

This section examines the relative values of the Regional Assets that lie within this Catchment Asset. It provides an overview of the asset analysis in order to inform prioritisation of management actions that are intended to minimise the impact of the threatening processes upon Regional Assets and improve the status or quality of the Regional Assets within the Catchment Asset Area.

The asset value indicates the relative importance of the Regional Asset within the Catchment Asset Area. The valuation is determined from a range of indicators, many specific to each of the Regional Assets that describe the importance of the Asset relative to social, economic and environmental values.

Table 1 below provides a summary of the value of each of the Regional Assets in this Catchment Asset. Greater detail about each of the Regional Assets in this Catchment Asset can be found in Section 2 – Regional Assets in this Catchment Asset

| Regional Asset                     | Value     |
|------------------------------------|-----------|
| Rivers                             | NONE      |
| Wetlands                           | VERY HIGH |
| Threatened Species and Communities | HIGH      |
| Terrestrial Habitat                | HIGH      |
| Soils                              | HIGH      |
| Agricultural Land                  | HIGH      |
| Groundwater                        | NONE      |
| Cultural Heritage                  | HIGH      |
| Community Capacity                 | HIGH      |

Table 1: Value of Regional Assets in this Catchment Asset

A detailed explanation of how these values were defined and applied can be found in Appendix 1. The Value of Regional Assets within a Catchment Asset.

## **Threatening Processes**

This section examines the threatening processes that may be impacting upon Regional Assets that lie within this Catchment Asset. It provides an overview of each of the threatening processes in order to

inform prioritisation of management actions that are intended to minimise their impact upon Regional Assets and improve the status or quality of the Regional Assets within the Catchment Asset Area.

Table 2 below provides a summary of the threat level posed by each of the threatening processes that are active in this Catchment Asset. Greater detail about each of the threatening processes and their scope, scale and relative impact within this Catchment Asset can be found in *Section 3 – Threatening Processes in this Catchment Asset*.

| Threatening Process               | Priority of Action |
|-----------------------------------|--------------------|
| Land & Water Salinisation         | HIGH               |
| Invasive Plants                   | MEDIUM             |
| Invasive Animals                  | HIGH               |
| Altered Hydrological Regimes      | MEDIUM             |
| Soil Erosion                      | HIGH               |
| Inappropriate Water Use Practices | MEDIUM             |
| Recreational Pressures            | HIGH               |
| Land Use Change                   | HIGH               |
| Direct off-site interactions      | LOW                |
| Misaligned community perceptions  | MEDIUM             |
| Inappropriate fire regimes        | MEDIUM             |
| Constrained regenerative capacity | HIGH               |

Table 2: Threat Priority across this Catchment Asset

A detailed explanation of how these threat levels were defined and applied can be found in Appendix 2. Categorising Threatening Processes.

## **Management Plans**

This Catchment Asset Area is subject to a diverse range of natural resource management instruments that are intended to protect, preserve and enhance the area's natural resources for the benefit of the Mallee region. These instruments can be either broad in their focus (covering many regional assets), focused on a particular area of interest (such as an individual Regional Asset) or tightly focused on a specific location or species. These management plans are prepared and owned by range of entities such as local government, statutory authorities, community groups and government departments at both State and Federal levels. Responsibility for their implementation can rest with a single entity or it may be divested across a broad range of organisations and groups. Some management plans are prepared to satisfy a legislative requirement while others are prepared to provide direction towards an organisational goal. Regardless of the reason and purpose of the management plan, they all have a common feature – they typically contain specific management direction or actions that are to be delivered through the implementation of the plan.

The identified existing management plans have been listed in Appendix 3. *Management Plans Relevant to this Catchment Asset* 

## **Management Actions**

Actions within the management plans in the table above are typically diverse in their wording, structure and complexity. However, they are broadly similar in terms of their intent. As a result, they can usually be easily classified into broad categories. Within each of these categories are a range of

common management actions. Each of these common management actions can also be said to target specific threatening processes. These management categories, the management actions within each of them, their definitions and the targeted threatening processes are shown in Appendix 4. *Management Action Definitions* 

The result of the classification process of the actions within Appendix 3. Management Plans Relevant to this Catchment Asset is contained in Appendix 5. Management Actions from Existing Management Plans. The classification table includes some detail about each action to support the classification. It is advised that if more information about a specific management action within a management plan is required then the original management plan should be consulted rather than relying specifically on the data in that classification table.

## **Priorities**

This section examines the potential management action groups from the management plans relevant to this Catchment Asset Area that are listed in the Management Plans section above and summarised Appendix 5. Management Actions from Existing Management Plans. The intent is to prioritise these potential management actions in terms of:

- The priorities of the regional asset within the catchment asset area (outlines in the Catchment Asset Value section above);
- section above);
- the priority to address a threatening process (outlined in the Threatening Processes section above);
- the capacity of the management action to address the threatening process; and
- the level of investment (in both of time and money) required to exercise that capacity.

The individual management actions from the plans listed in the Management Plans section were grouped and scored by consensus against agreed criteria and then each potential management action group within the Catchment Asset was assigned to a category that defines the prospective priority to the implementation. Further information regarding the definition and application of each of these categories can be found in Appendix *6. Prioritising Potential Management Actions*.

The findings of the analysis are summarised in Table 3 below. The detailed priority matrices from which the summary table is taken can be found in Appendix 7. Management Action Priorities.

| Management Action   | Priority | Threatening Processes Addressed  |
|---------------------|----------|--|
| Pest Plant Control  | Medium   | Invasive Plants; Constrained Regenerative Capacity   |
| Pest Animal Control | Medium   | Invasive Animals; Soil Erosion; Constrained Regenerative Capacity  |
| Habitat Protection  | Medium   | Invasive Animals; Soil Erosion; Recreational Pressure;<br>Land Use Change;<br>Direct Off-Site Interactions; Constrained Regenerative<br>Capacity |
| Habitat Restoration | Low      | Land & Water Salinisation; Soil Erosion; Recreational<br>Pressure;<br>Direct Off-Site Interactions; Constrained Regenerative<br>Capacity         |
| Revegetation        | Low      | Land & Water Salinisation; Soil Erosion; Recreational<br>Pressure;<br>Direct Off-Site Interactions; Constrained Regenerative<br>Capacity         |

| Environmental Watering                       | Low    | Altered Hydrological Regimes; Constrained Regenerative Capacity  |
|--|--------|--|
| Soil Erosion Control                         | Low    | Soil Erosion   |
| Threatened Species Interventions             | Medium | Constrained Regenerative Capacity  |
| Enhancing Land Management<br>Regimes         | Medium | Land & Water Salinisation; Soil Erosion; Inappropriate<br>Water Use Practises;<br>Land Use Change; Direct Off-Site Interactions  |
| Supporting Human Capacity for<br>NRM         | Medium | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;<br>Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity |
| Supporting Institutional Capacity for<br>NRM | Medium | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;<br>Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity |
| Supporting Social Capacity for<br>NRM        | Low    | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;<br>Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity |
| Institutional Planning for NRM               | Medium | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;<br>Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity |
| Community Driven Planning for<br>NRM         | Low    | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;<br>Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity |
| Landholder Driven Planning for<br>NRM        | Medium | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;  |

|   |        | Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity  |
|---|--------|--|
| Research to improve knowledge             | Medium | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;<br>Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity |
| Asset condition monitoring and assessment | Medium | Land & Water Salinisation; Invasive Plants; Invasive<br>Animals;<br>Altered Hydrological Regimes; Soil Erosion;<br>Inappropriate Water Use Practices;<br>Recreational Pressures; Land Use Change; Direct Off-<br>site Interactions;<br>Misaligned Community Perceptions; Inappropriate Fire<br>Regimes;<br>Constrained Regenerative Capacity |

## **Regional Delivery Partners**

The individuals and organisations listed below have various roles to play within the Catchment Asset area in delivering and implementing the management actions described in previous sections that will in turn contribute to the aims and expected outcomes of the Mallee RCS. This list is not considered exhaustive and can be expected to change over time. More detail about the specific role and responsibilities of these entities with respect to the RCS can be found below.

- Aboriginal Affairs Victoria
- Aboriginal Communities (Traditional Owners & Organisations)
- Birdlife Mildura
- Catchment Management Authorities Mallee (VIC)
- Department of Environment and Primary Industries (VIC)
- Landcare Groups
- Lower Murray Water
- Mildura Rural City Council
- Parks Victoria
- Private Land Managers
- Regional Development Australia Loddon Mallee
- Research Bodies Arthur Rylah Institute, Invasive Animals CRC

## **Community NRM Groups**

This section provides a summary of these stakeholder groups that are active within this Catchment Asset. This is not an exhaustive list and will be updated on a regular basis. Further detail on the community NRM groups can be found in Attachment 1 – Mallee NRM Interest Groups.

#### Landcare Groups

The Landcare movement has been active in the Mallee since the late 1980s, with 23 active Landcare groups operating today. From our first group, Millewa-Carwarp (established 1989), to the newest, Cabarita (established 2012), Landcare has been instrumental in harnessing and promoting the interests of local communities in natural resource management.

Many groups initially formed due to the issues of rabbits and weeds. Salinity, soil conservation and biodiversity issues have evolved and continued to propel the Landcare movement into the 21st century. Our Landcare groups are keen to ensure that the legacy of Landcare continues and actively support a range of Junior Landcare Groups activities across the region.

#### Northern Mallee Landcare Consortium

- Kulkyne Way
- Millewa-Carwarp

#### Non-aligned Landcare Groups

• Mallee Landcare Group

#### **Other Groups**

There are a broad range of community, industry, indigenous and specialist groups that have a role to play in NRM within this catchment asset. The tables in this section provide a listing of the groups currently known to be active within the asset area.

Traditional owner groups provide opportunities for our local indigenous communities to have input into how the regions landscapes are managed; and to enhance regional awareness of the cultural values inherent within these landscapes.

A wide range of special interest groups provide the means for individuals to become engaged in activities and programs which reflect their particular concerns. They also provide the region with a vital source of knowledge and understanding on specific issues.

The region's industry based groups have an important role in developing and promoting best practice for competitive and sustainable agricultural sectors.

Advisory groups to statutory bodies like CMA's and water authorities are important forums for both the community and the authorities involved. These groups provide management advice and community feedback to the convening authority while at the same time communicating with the wider community about the activities of the advisory group and the organisation in general.

#### **Registered Aboriginal Parties**

There is currently no registered aboriginal party determined for this catchment asset area

#### Special Interest and Recreational Groups

• BirdLife Mildura

#### **Industry Groups**

- Victorian Farmers Federation (VFF)
- Victoria No-Till Farmers Association (VNTFA)
- Mallee Sustainable Farming Inc (MSF)
- Sunraysia Branch of the Victorian Apiarists Association

#### **Advisory Groups**

- Aboriginal Reference Group (ARG)
- Mallee CMA Land and Water Advisory Committee (LWAC)
- Mallee CMA Technical Advisory Committees (TACs)

Section 2 – Regional Assets in this Catchment Asset

Regional Assets in the Mallee NRM region were defined and applied in accordance with guidelines provided by DSE to support the Victorian Catchment Management Council RCS Guidelines. Each of the following sub-sections provides a background to these Regional Assets and the available information about their significance within this Catchment Asset. This follows on to an assessment of the relative value of the Regional Asset based on the criteria contained in Appendix 1. *The Value of Regional Assets within a Catchment Asset*.

## **Rivers**

There are no natural waterways to be found within this Catchment Asset as it is dominated almost entirely by the gypseous flats of the boinka system.

#### Wetlands

The Raak Plain Boinka is the largest & most active natural groundwater discharge in Victoria & possibly South East Australia. Approximately forty individual wetland areas (amounting to a little over 600 hectares) that are located on the Raak Plain are collectively listed in the national Directory of Important Wetlands. Their listing is a result of their geomorphological and floral features.

The Mallee Waterway Strategy (2014-22) identifies priority wetlands for future management using an Asset Based Approach; facilitating targeted planning and implementation processes to deliver greatest social, cultural and economic returns on our efforts. Each Wetland asset occurring within this Catchment Asset is ascribed a priority of 'high', 'medium', 'low', or 'additional' under this framework.

Based on the available data concerning their extent, quality and policy significance within this landscape, the Wetlands within this Catchment Asset are considered to be of very high value.




Figure 1: Wetlands

# **Threatened Species and Communities**

A significant range of flora and fauna species that are listed in Federal and State instruments have been observed and recorded within the area of this catchment asset over time. These species are listed in the tables that follow along with their current status as described in the listing instrument. The listing instruments are: Environmental Protection and Biodiversity Conservation (EPBC) Act 1999; Flora and Fauna Guarantee (FFG) Act 1998 and the Victorian Threatened Species Advisory Lists issued by the Department of Environment and Primary Industries (DEPI) (Flora: 2005, Fauna: 2013). The species names included in the following tables (Table 4 & Table 5) may not reflect the full range of threatened flora and fauna species that may inhabit the catchment area. Rather they reflect only species whose presence has been observed and recorded by suitably qualified observers since 1980.

The Catchment Asset area supports a number of threatened species including the Regent Parrot (*Polytelis anthopeplus monarchoides*), Mallee Fowl (*Leipoa ocellata*) and the Bead Glasswort (*Tecticornia flabelliformis*). Other significant species for Victoria that have been observed here include the Hooded Robin (*Melanodryas cucullata cucullata*), Major Mitchell's Cockatoo (*Lophocroa leadbeateri*) and the Samphire Skink (*Morethia adelaidensis*). In addition to the EPBC listed *Tecticornia flabelliformi*, the asset area is also home to a number of threatened plant species including the Purple Swainson-pea (*Swainsona purpurea*), Mallee Hemichroa (*Hemichroa diandra*) and the Spiked Pigweed (*Dysphania simulans*).

Based on the available data concerning their extent, quality and policy significance within this landscape, the Threatened Species and Communities within this Catchment Asset are considered to be of high value.

| Scientific Name                             | Common Name          | EPBC       | FFG    | DSE Advisory<br>List |
|---|----------------------|------------|--------|----------------------|
| Allocasuarina luehmannii                    | Buloke               |            | Listed |                      |
| Atriplex acutibractea                       | Pointed Saltbush     |            |        | Rare                 |
| Atriplex acutibractea subsp. acutibractea   | Pointed Saltbush     |            | Listed | Vulnerable           |
| Atriplex papillata                          | Coral Saltbush       |            |        | Rare                 |
| Atriplex vesicaria subsp. macrocystidia     | Bladder Saltbush     |            |        | Poorly known         |
| Austrostipa nullanulla                      | Club Spear-grass     | Vulnerable |        | Vulnerable           |
| Brachyscome exilis                          | Finger-leaved Daisy  |            |        | Rare                 |
| Bromus arenarius                            | Sand Brome           |            |        | Rare                 |
| Calandrinia volubilis                       | Twining Purslane     |            |        | Rare                 |
| Ceratogyne obionoides                       | Wingwort             |            |        | Rare                 |
| Chenopodium desertorum subsp.<br>desertorum | Frosted Goosefoot    |            |        | Rare                 |
| Dissocarpus biflorus var. biflorus          | Twin-flower Saltbush |            |        | Rare                 |
| Dysphania simulans                          | Spiked Pigweed       |            | Listed | Endangered           |
| Elachanthus glaber                          | Smooth Elachanth     |            |        | Rare                 |
| Eriochlamys behrii s.s.                     | Woolly Mantle        |            |        | Rare                 |
| Frankenia crispa                            | Hoary Sea-heath      |            |        | Rare                 |

Table 4: Threatened Flora Species observed since 1980

| Frankenia foliosa                                 | Leafy Sea-heath              |            |        | Rare         |
|---|------------------------------|------------|--------|--------------|
| Frankenia serpyllifolia                           | Bristly Sea-heath            |            |        | Rare         |
| Frankenia sessilis                                | Small-leaf Sea-heath         |            |        | Rare         |
| Hemichroa diandra                                 | Mallee Hemichroa             |            | Listed | Endangered   |
| Kippistia suaedifolia                             | Fleshy Minuria               |            |        | Vulnerable   |
| Maireana georgei                                  | Slit-wing Bluebush           |            |        | Vulnerable   |
| Maireana oppositifolia                            | Heathy Bluebush              |            |        | Rare         |
| Maireana sedifolia                                | Pearl Bluebush               |            |        | Rare         |
| Maireana triptera                                 | Three-wing Bluebush          |            |        | Rare         |
| Melaleuca halmaturorum                            | Salt Paperbark               |            | Listed | Vulnerable   |
| Millotia macrocarpa                               | Large-fruited Millotia       |            |        | Rare         |
| Minuria cunninghamii                              | Bush Minuria                 |            |        | Rare         |
| Pimelea simplex subsp. simplex                    | Desert Rice-flower           |            |        | Rare         |
| Pimelea williamsonii                              | Williamson's Rice-<br>flower |            |        | Vulnerable   |
| Poa fax   | Scaly Poa                    |            |        | Rare         |
| Rhagodia ulicina                                  | Spiny Goosefoot              |            |        | Rare         |
| Sclerolaena lanicuspis                            | Woolly Copperburr            |            |        | Endangered   |
| Sclerolaena patenticuspis                         | Spear-fruit<br>Copperburr    |            |        | Vulnerable   |
| Sclerolaena uniflora                              | Two-spined<br>Copperburr     |            |        | Rare         |
| Swainsona phacoides                               | Dwarf Swainson-pea           |            | Listed | Endangered   |
| Swainsona purpurea                                | Purple Swainson-pea          |            | Listed | Endangered   |
| Swainsona pyrophila                               | Yellow Swainson-pea          | Vulnerable |        | Vulnerable   |
| Tecticornia flabelliformis                        | Bead Glasswort               | Vulnerable | Listed | Endangered   |
| Tecticornia lylei                                 | Wiry Glasswort               |            |        | Rare         |
| Tecticornia moniliformis                          | Ruby Glasswort               |            |        | Rare         |
| Tecticornia nitida                                | Shining Glasswort            |            |        | Rare         |
| Tecticornia pterygosperma subsp.<br>pterygosperma | Whiteseed Glasswort          |            |        | Rare         |
| Tetragonia moorei                                 | Annual Spinach               |            |        | Poorly known |
| Trachymene thysanocarpa                           | Mallee Trachymene            |            |        | Rare         |
| Trichanthodium skirrophorum                       | Woolly Yellow-heads          |            |        | Vulnerable   |
| Triraphis mollis                                  | Needle Grass                 |            |        | Rare         |
| Zygophyllum angustifolium                         | Scrambling Twin-leaf         |            |        | Rare         |
| Zygophyllum compressum                            | Rabbit-ears Twin-leaf        |            |        | Vulnerable   |

| Zygophyllum simile | White Twin-leaf |  |  | Rare |
|--------------------|-----------------|--|--|------|
|--------------------|-----------------|--|--|------|

#### Table 5: Threatened Fauna Species observed since 1980

| Scientific Name                      | Common Name                                | EPBC       | FFG    | DSE Advisory<br>List     |
|--------------------------------------|--|------------|--------|--------------------------|
| Calamanthus campestris               | Rufous Fieldwren                           |            |        | Near threatened          |
| Cinclosoma castanotus                | Chestnut Quail-thrush                      |            |        | Near threatened          |
| Circus assimilis                     | Spotted Harrier                            |            |        | Near threatened          |
| Climacteris picumnus victoriae       | Brown Treecreeper (south-<br>eastern ssp.) |            |        | Near threatened          |
| Demansia psammophis                  | Yellow-faced Whip Snake                    |            |        | Near threatened          |
| Dromaius novaehollandiae             | Emu  |            |        | Near threatened          |
| Leipoa ocellata                      | Malleefowl                                 | Vulnerable | Listed | Endangered               |
| Lophocroa leadbeateri                | Major Mitchell's Cockatoo                  |            | Listed | Vulnerable               |
| Melanodryas cucullata<br>cucullata   | Hooded Robin                               |            | Listed | Near threatened          |
| Morethia adelaidensis                | Samphire Skink                             |            | Listed | Endangered               |
| Ningaui yvonneae                     | Mallee Ningaui                             |            |        | Near threatened          |
| Nycticorax caledonicus hillii        | Nankeen Night Heron                        |            |        | Near threatened          |
| Oreoica gutturalis gutturalis        | Crested Bellbird                           |            | Listed | Near threatened          |
| Polytelis anthopeplus monarchoides   | Regent Parrot                              | Vulnerable | Listed | Vulnerable               |
| Sminthopsis murina murina            | Common Dunnart                             |            |        | Vulnerable               |
| Struthidea cinerea                   | Apostlebird                                |            | Listed |                          |
| Todiramphus pyrropygia<br>pyrropygia | Red-backed Kingfisher                      |            |        | Near threatened          |
| Tympanocryptis lineata               | Lined Earless Dragon                       |            | Listed | Critically<br>endangered |

## **Terrestrial Habitat**

The Raak Plain Catchment Asset predominantly lies within the Murray Mallee IBRA subregion with a fringe of Lowan Mallee on the southern edge of the Plain. As an area that is largely unsuitable for agriculture due to the natural salinity, the catchment asset area retains some 82% of its original terrestrial habitat.

The vegetation of the Raak Plain is considered to be of conservation significance due to the diversity of vegetation communities and the presence of a number of rare plant species.

The table below lists each of the Catchment Asset's EVCs along with the IBRA subregion within which they are contained, their Bioregional Conservation Status (BCS) and their area in hectares.

| Ecological Vegetation Class | IBRA Subregion | Conservation<br>Status | Area<br>(hectares) |
|-----------------------------|----------------|------------------------|--------------------|
| Chenopod Mallee             | Murray Mallee  | Vulnerable             | 10,237.71          |
| Loamy Sands Mallee          | Lowan Mallee   | Least Concern          | 701.59             |
|                             | Murray Mallee  | Least Concern          | 2,875.27           |
| Riverine Chenopod Woodland  | Murray Mallee  | Depleted               | 107.28             |
| Samphire Shrubland          | Lowan Mallee   | Least Concern          | 7.59               |
|                             | Murray Mallee  | Least Concern          | 17,705.44          |
| Sandstone Ridge Shrubland   | Lowan Mallee   | Least Concern          | 1.23               |
|                             | Murray Mallee  | Least Concern          | 3.94               |
| Semi-arid Chenopod Woodland | Murray Mallee  | Vulnerable             | 288.75             |
| Semi-arid Woodland          | Lowan Mallee   | Depleted               | 4.87               |
|                             | Murray Mallee  | Vulnerable             | 887.17             |
| Water body - salt           | Lowan Mallee   | Not Applicable         | 11.02              |
|                             | Murray Mallee  | Not Applicable         | 2,587.67           |
| Woorinen Mallee             | Lowan Mallee   | Least Concern          | 18.68              |
|                             | Murray Mallee  | Vulnerable             | 1,369.28           |
| Woorinen Sands Mallee       | Murray Mallee  | Depleted               | 7,838.82           |
|                             | Lowan Mallee   | Least Concern          | 190.89             |

| Table 6: Area of Ecologica | I Vegetation Classes and the | eir Bioregional Conservation Status |
|----------------------------|------------------------------|-------------------------------------|
|----------------------------|------------------------------|-------------------------------------|




Figure 2: Bioregional conservation status of EVCs and IBRA sub-regions

DEPI's NaturePrint model is a landscape scale spatial planning mechanism that provides an analysis of biodiversity values across Victoria and combines the available information about biodiversity values, threatening processes and ecosystem function. It provides an analysis of the ecological value of a portion of landscape compared across the entire Victorian landscape. It is based on the following measures:

- Mathematical models of species distributions and habitats;
- The condition of these habitats;
- Pathways for connectivity across landscapes;
- Connectivity potential and recoverability;
- Threats to species persistence.

For background information about the model, its output and its significance, refer to: http://www.depi.vic.gov.au/environment-and-wildlife/biodiversity/natureprint.

The NaturePrint model considers that about 48% of this Catchment Asset contains terrestrial habitat that is of the highest ecological value to Victoria and therefore high priority for protection and conservation.

Based on the available data concerning their extent, quality and policy significance within this landscape, the Terrestrial Habitat within this Catchment Asset is considered to be of high value.




Figure 3: Terrestrial Habitat given high ecological value by NaturePrint Version 3

#### Soils

The Raak Plain, an important geological heritage site, listed by the GSA Victoria Division's Subcommittee for Geological Heritage and also on the Register of the National Estate in Canberra. The area provides active demonstrations of geomorphological processes including saline groundwater spring discharges, active erosion and dune building.

The soils of the asset area are primarily Tenesols. These are the loose red-brown sands that form the east-west dune systems that dominate the central parts of the asset area. However, a significant band of seasonally saturated saline soils known as Hydrosols dominate a large portion of the western section of the asset area. These soils are associated with the area's active groundwater discharge zone.

The soils of this Catchment Asset area are predominantly valued for their capacity to provide for terrestrial habitat and the support the production of food and fibre. However, there is also an understanding that the structure of the soil and its natural capacity to resist threatening processes such as wind erosion is also of substantial value.

There is currently no accepted framework to categorise our soil asset in terms of value from lower to higher based purely upon the social, economic and environmental values and services they provide. Such a framework has only been considered to date in terms of the threatening processes that may impinge on the capacity of our soils asset to provide the services we have come to expect. This will be discussed later in this document. Despite this limitation, the most appropriate course of action is to consider the relative value of the soil asset according to its intrinsic capacity to support the other regional assets within this catchment asset as the basis for applying a value category.

Therefore, the Soils within this Catchment Asset are considered to be of high value.




Figure 4: Dominant Soil Types


# Agricultural Land

About 18% of the catchment asset area (10,000 hectares) is given over to dryland agricultural activities, primarily grazing. Most of this activity occurs in the north east corner of the asset area around the locality of Nowingi.

The agricultural land of this Catchment Asset area is mainly valued for its capacity to support the production of food and fibre. This in turn provides for a range of other social and economic services that are important to the Mallee region. In addition, when these services are available, they support the local community in its efforts to maintain and enhance not only their agricultural land but other other regional assets.

There is currently no accepted framework to categorise our agricultural land asset in terms of value from lower to higher based purely upon the social and economic values and services they provide. Such a framework has only been considered to date in terms of the threatening processes that may impinge on the capacity of our agricultural land asset to provide the services we have come to expect. This will be discussed later in this document. As a result, the most appropriate course of action is to consider the relative value of the agricultural land asset at a regional scale rather than at a catchment asset scale and in accordance to its capacity to provide and support social and economic values.

Therefore, the Agricultural Land within this Catchment Asset and across the region is considered to be of high value.



#### Figure 5: Agricultural land use

#### Groundwater

The Mallee's groundwater asset is not of significance to this Catchment Asset.

## **Cultural Heritage**

The catchment asset area has important Indigenous and non-Indigenous cultural value. Aboriginal people have had a connection to this area for tens of thousands of years. A significant number of cultural heritage sites occur in this area, ranging from small sites and earth features to larger sites containing artefacts, ovens and midden sites. From a European perspective, the area contains a number of heritage overlays that encompass sites of historical significance.

Cultural heritage sites in this Catchment Asset area are predominantly valued for the connection they provide to the community between the social and cultural landscape that we currently enjoy and the stories, ideas and history of how that came to be. These sites provide individuals and families with a physical representation of their connection to the Mallee landscape and their place in it. These connections are extremely important to these people and, in turn, can reflect upon how they value and relate to the Mallee landscape that they are familiar with today. Therefore it is important to all that these sites are managed and protected in a manner that is sympathetic to those connections and values. Heritage significance is typically assessed under a three-tier legislative system that determines the local, state, national or commonwealth significance of an item. Heritage items can also be included on non-statutory listings (such as the National Trust classifications). However, there is no single and simple approach to categorise our cultural heritage asset in terms of value to the region. Tradition distinctions between different types of value (such as economic, social and environmental values) can be determined but this data is only patchily available given the number and range of cultural heritage sites across the Mallee. The most appropriate course of action at this point is to give

equal value to all recognised cultural heritage sites in the Mallee regardless of their age, form and historical background.

Therefore, Cultural Heritage within this Catchment Asset and across the region is considered to be of high value. Any further processes undertaken to prioritise and target management actions will rely on assessments of risk likelihood and impact to those sites.




Figure 6: Areas of Cultural Value

# **Community Capacity**

Community capacity is an important asset as positive and long-lasting NRM outcomes are dependent on an active, willing and capable community. In order to achieve regional scale NRM outcomes, people have to play a major role, often in partnership with government and industry, in the ongoing conservation and sustainable use of our Regional Assets This requires Mallee communities to have the capacity to work cooperatively, apply economic resources, use networks and acquire and use relevant knowledge and information to achieve NRM outcomes. Maintaining and improving this capacity is dependent not only on the financial, physical and natural resources contained within or available to a community but also its social resources.

Community capacity therefore requires ongoing development, conservation and management as its relative condition can influence the achievement of all other biophysical goals and actions outlined within the RCS.

Our communities' capacity is defined by their characteristics and resources which, when combined, determine their ability to identify, evaluate and address key issues.

Characteristics of strong regional community capacity include:

• Individuals within the community being aware of regional NRM issues, and understanding the link between these issues and the long-term viability of the community

- Natural resource managers and users being able and willing to access the necessary information, data and science – biophysical, social and economic – to make sound NRM decisions
- Natural resource managers and users being equipped with or having access to, the necessary technical, people management, project management and planning skills to Social, participate in the development and implementation of sustainable NRM at the property, local and regional scales
- Community being engaged and motivated, and exercising ownership over NRM decision making processes and effectively implementing actions arising from these processes (DAFF 2006).

This catchment asset area is very sparsely populated as it is dominated by public land. The only distinct centre of human population is Nowingi on the north eastern boundary of the asset area. However, this area is popular as a recreation resource and tourism destination by populations both within and external to the Mallee. Therefore, while the resident community is of importance to the ongoing management of the catchment asset, it is this wider population of occasional users whose capacity for effective and sustainable natural resource management is potentially quite influential in the long term by virtue of its greater size.

While this catchment asset area is not home to any community driven NRM organisations it is well serviced on its fringes by a number of organisations which reflects well on the capacity of the local community to contribute to effective NRM outcomes within the asset area. Millewa-Carwarp is an active Landcare group whose area of influence includes part of the asset area.

A complete listing of all the known community NRM organisations within the catchment asset can be found in the Community NRM Groups section.

Whilst there are a number of methods available to evaluate the relative 'condition' of our community's capacity for NRM there is currently no accepted framework to categorise the community capacity asset in terms of value from low to high based upon the values and services it may provide. As a result, the most appropriate course of action is to consider the relative value of community capacity for NRM in terms of its potential contribution to NRM outcomes at a regional scale and what those NRM outcomes might be (and how sizeable the resources required to achieve them) if that contribution was not forthcoming. Under those circumstances, it is relatively easy to come to the conclusion that, without the communities' investment into NRM through exercising that community capacity asset, the scale and success of our NRM outcomes will be curtailed while their cost in resources increases. Such a situation would not benefit the Mallee region or its Regional Assets.

Therefore, Community Capacity within this Catchment Asset and across the region is considered to be of high value.




Figure 7: State Suburbs

Section 3 – Threatening Processes in this Catchment Asset

Threatening processes in the Mallee NRM region were defined and applied as part of the development of Mallee Regional Catchment Strategy by the Regional Catchment Strategy Steering Committee. Each of the following sub-sections provides a background to these threatening processes, available information about their form within this Catchment Asset and some discussion regarding the impact of these processes on our regional assets. This follows on to an assessment of the relative threat level posed by each the threatening processes based on the criteria contained in Appendix 2. *Categorising Threatening Processes*.

## Land & water salinisation

Land and water salinisation is defined as: "Salinisation of the soil and water resources through the displacement of salt as a result of natural and human induced drivers."

Salinisation of soils is caused by discharge of groundwater to the atmosphere by direct transpiration of groundwater by vegetation or by capillary rise from the water table through the soil profile to either the soil surface (evaporation) or the bottom of the plant root zone. Salt contained in the water that is evaporated and/or transpired is left behind and accumulates in the soil. High rates of groundwater discharge, and hence salt accumulation, only occur in areas where water tables are shallow (typically less the 10 m, with the most severe effects when the water table is less than 5 m).

There are many naturally saline wetlands and wetland complexes in the Mallee that are situated in areas where the underlying water tables are naturally shallow. Better known examples of these natural systems include the Tyrrell Basin, Raak Plain and the Pink Lakes. These are natural saline systems that have historically developed and been maintained in a balance that provided for stable ecological communities. However, agricultural development in the last century has altered the long term balance of these systems. The removal of much of the Mallee vegetation and the use of land management techniques that were comparatively inefficient users of rainfall (compared to Mallee woodlands) allowed deep drainage past the root zone. Depending on the location, this deep drainage either manifest itself as localised discharge zones in dune swales or contributed to further shallowing of the regional water table. As water tables came closer to the surface, more wetlands and wetland ecosystems were threatened by increasing salinity and increasing areas of salinised landscape.

The incremental improvement in agricultural land management techniques to maximise water use efficiency and minimise through drainage over the last two decades coupled with the broad scale effect of the so-called Millennium Drought have begun to swing the balance back towards a more neutral status. Water table depths have fallen and correspondingly so have salinity impacts in the landscape.

Despite these recent advances, the risks remain. Many of the triggers in the landscape that created the salinisation problem still remain. Most notable of these are the altered flow regimes in our watercourses and wetlands and the large, open areas cleared of perennial Mallee vegetation. These are historical landscape modifications that are not expected to be rectified since they have provided for the bulk of the Mallee's resultant economic and social activity. Lapses in our current regimes of effective land and water management coupled with a changing climate can easily contribute to the return of a significant period of land and water salinisation.

This catchment asset area is one of the most significant naturally saline landscapes in Victoria. This area has expanded in more recent times due to increasing groundwater discharge arising from factors driven by historical land clearing.

Given the Raak Plain is a groundwater discharge area then it is no surprise to find that the depth to the watertable over almost half of the catchment asset area is less than 5 metres below ground level. However, only 1.5% of the area (1,390 hectares) has a depth to watertable of less than 2 metres.

Given the current status of land and water salinisation in the Catchment asset area and consideration of the future potential of this threatening process to produce negative impacts within the area, the priority of action with respect to each Regional Asset has been determined. They are listed in Table 7 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | HIGH               | To be documented |
| Threatened Species and Communities | MEDIUM             | To be documented |
| Terrestrial Habitat                | HIGH               | To be documented |
| Soils                              | MEDIUM             | To be documented |
| Agricultural Land                  | HIGH               | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | NONE               | To be documented |
| Community Capacity                 | NONE               | To be documented |

Table 7: Prospective Priority of Action to address Land and Water Salinisation upon Regional Assets




Figure 8: Natural and Induce Saline Surfaces




Figure 9: Estimated Depth to the Water table

## **Invasive Plants**

Currently there are 25 State Prohibited Weeds, 4 Regionally Prohibited Weeds and 14 Regionally Controlled Weeds listed under the Catchment and Land Protection (CaLP) Act for the Mallee region. In addition to the conventional ways that weeds spread (e.g. wind and water) in the Mallee, disturbance from pest animals such as rabbits, goats and pigs also create good conditions for weed growth and contribute to weed spread.

Invasive plants in the Mallee threaten both biodiversity and the productive capacity of land. In many cases, weed infestation has changed the composition and character of the ecological landscape. Weed infestations also impact on the use of popular recreational spots in riparian areas, affecting aesthetic values and limiting access. Environmental weeds compete with established and regenerating indigenous species, threatening the quality and extent of native vegetation and reducing the diversity and availability of habitat. Environmental weeds present a significant risk to remnant roadside vegetation, as the 'edge effect' is particularly difficult to manage in these long, thin areas.

Agricultural weeds cause significant losses for horticulture and dryland farming through competition with crops and by reducing the quality of produce. Their control increases the cost of production and, in extreme cases, can diminish the productive capability of the land.

While the presence of recognised weed species in the asset area is almost certain, there is insufficient data available to adequately describe the current scope and scale of pest plant populations for the purposes of effective regional control. The available spatial data on invasive plant infestations dates back to 2007 and was generated as part of the Priority Weed Mapping project in 2008. This information is obviously now far out of date. The current information and response capacity

relies heavily on local activity at a local scale in response to local weed infestations. This approach, while often very successful, tends to preclude centralised management and control at a regional scale. Therefore, the priority of action to address invasive plants is strongly influenced by local scale data derived from local planning instruments and informal community consultation at the local level. On the other hand, limited knowledge and understanding of the vulnerability of the Mallee landscape to future weed incursions is available given the current listing of known invasive plants, the current understanding of their biological requirements and the planning and response framework provided by regional scale plans such as the Mallee Invasive Plants and Animals Management Strategy (IPAWS).

The IPAWS identifies 21 regional assets (based on geographic areas) across the Mallee region. This Catchment Asset area broadly aligns with three of these geographic assets: Raak Plain; Murray-Sunset National Park Dune Fields; and Agricultural Land. IPAWS identified both the Raak Plain and Murray-Sunset National Park Dune Fields regional assets as high priority areas for on-ground action to manage invasive plants and animals though in both cases the required actions are intended primarily for pest animal control.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with invasive plants with respect to each Regional Asset has been determined. They are listed in the Table 8 below.

| Regional Asset                        | Priority of<br>Action | Summary Logic   |
|---------------------------------------|-----------------------|---|
| Rivers                                | NONE                  | No waterways present in this asset area   |
| Wetlands                              | LOW                   | To be documented  |
| Threatened Species and<br>Communities | MEDIUM                | To be documented  |
| Terrestrial Habitat                   | MEDIUM                | To be documented  |
| Soils                                 | LOW                   | To be documented  |
| Agricultural Land                     | LOW                   | To be documented  |
| Groundwater                           | NONE                  | This regional asset is not present within this catchment asset                      |
| Cultural Heritage                     | MEDIUM                | To be documented  |
| Community Capacity                    | NONE                  | Invasive plants do not pose a significant threat to community capacity at this time |

Table 8: Prospective Priority of Action to address Invasive Plants upon Regional Assets




Figure 10: Priority Weed Infestations Recorded Between 2005 and 2007




Figure 11: Regional Assets from the Mallee Invasive Plants and Animal Strategy

## **Invasive Animals**

Invasive animals in terms of the Mallee RCS are regarded as those established invasive pest animals as defined in Part 8 of the CaLP Act 1994

Australia is host to 56 invasive vertebrate animal species. Of these, the ones with the most impact (in order of damage estimates) are: European Red Fox, feral cats, rabbits, feral pigs, wild dogs, the house mouse, carp and goats. The Mallee region hosts populations of all of these species. However, of most significance to the Mallee is the European Red Fox and Rabbits – both are declared under the Catchment and Land Protection (CaLP) Act 1994.

Invasive species are considered to be pests when they have, or have the potential to have, an undesirable economic, environmental or social/cultural impact. Such impacts may include damage to agricultural crops, livestock predation, indigenous fauna predation, soil erosion and land degradation, spread of weeds, pasture/food and habitat competition, and the potential spread of disease. Gong et al. (2009) estimated the overall direct economic impact of several pest animal species (foxes, rabbits, wild dogs, feral pigs, birds and mice) in Australia to be \$740 million annually. This included \$620.8 million of production losses in agriculture (including horticulture) and \$122.7 million on expenditure on pest animal management, administration and research in Australia. Some of the social impacts of pest animals include damage to infrastructure or cultural/historical sites, being 'a nuisance', causing traffic accidents, as well as significant social/psychological impacts on primary producers; for example, through distress of wild dog predation on livestock.

Other non-declared pest animals present in the Mallee include feral Bees, European Wasps, Hares, Starlings, Snails, Rats, Mice and Locusts.

Approximately 20% (11,525 hectares) of the remnant vegetation spread across the dunes and higher ground of the Raak Plain are susceptible to rabbit activity. Of this area, 1,180 hectares (2.2% of the

catchment asset area) is considered to be highly susceptible to rabbit activity. However, there is little available data to describe the impact rabbits are currently having on the asset area.

The asset area is also known to be home to populations of foxes, pigs, goats and cats. As with rabbits, there is little concrete data available to scale of threat these populations pose this asset.

As with invasive plants, the presence of invasive animals like rabbits and foxes in the asset area is recognised. However, there is only limited data available to adequately describe the current scope and scale of pest animal populations for the purposes of effective regional control. The current information and response capacity relies heavily on local activity at a local scale. This approach, while often very successful, tends to preclude centralised management and control at a regional scale. Therefore, the priority of action to address invasive animals is strongly influenced by local scale data derived from local planning instruments and informal community consultation at the local level. On the other hand, knowledge and understanding of the vulnerability of the Mallee landscape to future incursions or outbreaks is available for some species given the current understanding of their biological requirements and the planning and response framework provided by regional scale plans such as the Mallee Invasive Plants and Animals Management Strategy (IPAWS).

The IPAWS identifies 21 regional assets (based on geographic areas) across the Mallee region. This Catchment Asset area broadly aligns with three of these geographic assets: Raak Plain; Murray-Sunset National Park Dune Fields; and Agricultural Land. IPAWS identified both the Raak Plain and Murray-Sunset National Park Dune Fields regional assets as high priority areas for on-ground action to manage invasive plants and animals though in both cases the required actions are intended primarily for pest animal control.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with invasive plants with respect to each Regional Asset has been determined. They are listed in Table 9 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | HIGH               | To be documented |
| Threatened Species and Communities | HIGH               | To be documented |
| Terrestrial Habitat                | HIGH               | To be documented |
| Soils                              | MEDIUM             | To be documented |
| Agricultural Land                  | HIGH               | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | MEDIUM             | To be documented |
| Community Capacity                 | NONE               | To be documented |

Table 9: Prospective Priority of Action to address Invasive Animals upon Regional Assets




Figure 12: Susceptibility of Remnant Native Vegetation to Rabbits

# Altered Hydrological Regimes

Modification of the natural flow regimes in our river systems has occurred over time to meet the various needs of navigation, agriculture and urban water use. Flow regulation has resulted in changes in the frequency, magnitude and duration of flows, and the restriction of small to medium flood events. River regulation, including the effect of locks, weirs and dams, has altered wetting and drying phases of many wetlands and ephemeral anabranches, by either permanently inundating the area, or restricting flows. Engineering works, such as the building of levees, have alienated large areas of floodplain which alters flood conveyance and flood storage. These changes have great significance for: fringing and floodplain forest communities: populations of fish, macroinvertebrates, algae, macrophytes; nutrient cycling; water quality; and channel shape and form.

Wetlands across the Mallee region have also been subject to modification of natural flow regimes which poses a threat to all priority wetland units. The flow regime, or hydrology, of a wetland is typically determined by climactic conditions and the inflows and outflows of surface and groundwater. Changes in hydrology affect most aspects of wetland ecology, including nutrient cycling; water quality; wetland shape and form; biodiversity; vegetation health, type and extent; and the composition and size of faunal communities. A wetland's flow regime has three main components: frequency, duration and seasonality of inundation. Any activity that changes one or more of these components will alter the natural hydrological regime of a wetland. Examples of these activities include: changes the flow regime of the wetland's water source; interference with flows in and out of, or even within, the wetland; water disposal to or extraction from the wetland; and modification of wetland depth (which alters evaporation rates and affects inundation duration).

Catchment processes are behind much of the changed hydrology in this Catchment Asset. Activities such as land clearing, land profiling and cultivation have altered runoff patterns and hydrogeological processes across the Mallee landscape. This in turn has altered hydrological and hydrogeological

regimes within and underlying wetland catchment areas which has in turn modified the inundation regime of this assets' wetlands.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with altered hydrological regimes with respect to each Regional Asset has been determined. They are listed in Table 10 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | MEDIUM             | To be documented |
| Threatened Species and Communities | MEDIUM             | To be documented |
| Terrestrial Habitat                | MEDIUM             | To be documented |
| Soils                              | MEDIUM             | To be documented |
| Agricultural Land                  | MEDIUM             | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | MEDIUM             | To be documented |
| Community Capacity                 | NONE               | To be documented |

Table 10: Prospective Priority of Action to address Altered Hydrological Processes

## Soil Erosion

Soil erosion in the Mallee is primarily confined to two processes: wind erosion and water erosion. Wind erosion is typically a regional scale process whereas water erosion primarily occurs in discrete locations on the sides and banks of some watercourses.

Wind erosion is the process by which soil particles are detached from the land surface and transported by the wind. Wind erosion occurs when the forces exerted by the wind overcome the gravitational and cohesive forces of soil particles on the surface of the ground. Wind erosion degrades the soil, reducing its capacity to sustain biodiversity and to support agricultural production. It can also have significant off-site impacts on infrastructure, air quality and respiratory health.

The movement of soil particles by the wind occurs in three ways, each of which is dependent on the size of the particles in question. The first method is known as creep. Larger particles (like sand) are generally too heavy to be lifted by the wind, so they are rolled along the surface by wind drag or moved by bombardment by other moving particles. The next method is known as saltation and this is when middling sized soil particles (typically 0.1 to 0.5 mm) are lifted by the wind, and then fall back to the ground, so they move in a hopping or bouncing fashion. This abrades the soil surface and as they hit other particles they break into smaller particles. It is these smaller particles (typically less than 0.1 mm) that form the suspended dust that is carried away from the erosion site by the wind and is typical of a Mallee dust event.

The susceptibility of a soil to erosion is dependent on its erodibility; its exposure to erosive winds; and on its moisture content. Soil erodibility refers to the inherent properties of the soil that make it susceptible to movement should the soil be exposed to strong winds (for example when they have been completely cleared or cultivated). These properties include: surface texture, organic matter content and stability of soil aggregates. The most erodible soil types are those with single grained structure and poor aggregate stability, such soils commonly comprising a large proportion of fine sand particles.

Soil erosion susceptibility in the Mallee can be spatially described due to a recognised relationship between soil type and the terrain. Landform component mapping took advantage of the relationship and served as a basis for predicting soil properties that determine erodibility based on prevailing terrain and soil types. It is an extension of the description and mapping of Mallee land systems in 1963 by Rowan and Downes which provides information about the land, its capabilities and its susceptibilities. The mapping used soil texture as the measure of erodibility and considered the frequency and direction of erodible winds (from south-west to westerly) to be consistent across the study area. The erosion susceptibility map for this Catchment Asset area is presented in Figure 13 below.

Wind erosion susceptibility mapping does not reflect the actual threat (or likelihood) of erosion occurring. Whilst a soil's inherent susceptibility to wind erosion is important, the actual likelihood of erosion occurring also depends on how the land is managed. Land management (such as vegetation cover) and climatic conditions (such as wind strength) play an important role in the occurrence of erosion. Where inappropriate management occurs severe wind erosion can be initiated on soils with low susceptibility and conversely erosion can be minimised on soils with high susceptibility with good management practises (Lorimer, 1985). When predicting the threat of erosion, both the landform component's inherent susceptibility to erode and its current state of management must be considered.

Most of the soil types in the catchment asset area have only moderate vulnerability to wind erosion. In this circumstance they are not particularly susceptible to wind erosion even in the event that the correct precursors (such as reduced groundcover) for such erosion exist. However, there are fringing areas on the southern and western boundaries of the asset area which are considered more susceptible to erosion. In the east of the asset area there are discrete sandy ridges at the top of the landscape that all have more open soil types that are similarly highly or very highly susceptible. These areas of high susceptibility soils account for almost 7% of the catchment asset or about 3,680 hectares.

It should be pointed out that much of this catchment asset is public land and therefore not intensively managed for agricultural purposes. It is considered that the soils of these lands are less likely to be exposed to wind erosion through the removal of ground cover as is seasonally the case with much agricultural land, especially those lands given over to cropping. Therefore, the actual area of soil within this catchment asset area that might be exposed and conducive to wind erosion at any particular time is likely to be comparatively small and not a particularly significant threat to regional assets within this catchment asset area.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with soil erosion with respect to each Regional Asset has been determined. They are listed in Table 11 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | LOW                | To be documented |
| Threatened Species and Communities | LOW                | To be documented |
| Terrestrial Habitat                | LOW                | To be documented |
| Soils                              | LOW                | To be documented |
| Agricultural Land                  | LOW                | To be documented |
| Groundwater                        | NONE               | To be documented |

#### Table 11: Prospective Priority of Action to address Soil Erosion

| Cultural Heritage  | MEDIUM | To be documented |
|--------------------|--------|------------------|
| Community Capacity | NONE   | To be documented |




Figure 13: Wind Erosion Susceptibility

## Inappropriate Water Use Practices

Inappropriate water use practices in agricultural activities in both the irrigation and dryland zones have been demonstrated to result in excessive volumes of deep drainage past the root zone of crops and pasture and therefore contribute to the raising of local and regional water tables.

Approximately 18% (about 10,000 hectares) of the asset area is given over to dryland agricultural activities, predominantly grazing. There is insufficient information to determine the extent to which inappropriate water use practises remain in place.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with inappropriate water use practices with respect to each Regional Asset has been determined. They are listed in Table 12 below.

| Table 12. Prospective Priorit | v of Action to address I | Inappropriate Water Use Practices |
|-------------------------------|--------------------------|-----------------------------------|
| Table 12. Trospective Thom    | y of Action to address i |                                   |

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | MEDIUM             | To be documented |
| Threatened Species and Communities | MEDIUM             | To be documented |

| Terrestrial Habitat | MEDIUM | To be documented |
|---------------------|--------|------------------|
| Soils               | MEDIUM | To be documented |
| Agricultural Land   | MEDIUM | To be documented |
| Groundwater         | NONE   | To be documented |
| Cultural Heritage   | MEDIUM | To be documented |
| Community Capacity  | NONE   | To be documented |

### **Recreational Pressures**

Recreational pressure can contribute to impacts including littering, track proliferation, fishing pressures, firewood collection, soil compaction and site erosion. The nature of the impacts is typically localised around the particular site and is highly dependent on the accessibility, popularity and sensitivity of the site along with the level of management that the location receives.

This catchment asset is a popular area for day use visitation and 4WD and off road vehicle activity. It also provides a corridor to access the remoter areas of the Murray-Sunset NP further to the west. The State of the Parks survey identifies a range of potential impacts arising from this recreational use. However, the scope, scale and extent of the impacts that results from this recreational pressure have not been quantified.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with recreational pressures with respect to each Regional Asset has been determined. They are listed in Table 13 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | HIGH               | To be documented |
| Threatened Species and Communities | HIGH               | To be documented |
| Terrestrial Habitat                | HIGH               | To be documented |
| Soils                              | NONE               | To be documented |
| Agricultural Land                  | NONE               | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | HIGH               | To be documented |
| Community Capacity                 | NONE               | To be documented |

Table 13: Prospective Priority of Action to address Recreational Pressures

### Land Use Change

Land use change as a threatening process in this context is considered to be the change of land management or use practices from either a steady state or from accepted best practice management system. Examples include the removal of native vegetation, conversion of dryland property to irrigation development (or the reverse), change from no-till cropping to traditional fallow techniques, conversion from perennial pasture to cropping (or the reverse) There is insufficient quality and quantity of data available to adequately describe the nature and level of impact resulting from this threatening process on this catchment asset at this time.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with land use change with respect to each Regional Asset has been determined. They are listed in Table 14 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | MEDIUM             | To be documented |
| Threatened Species and Communities | MEDIUM             | To be documented |
| Terrestrial Habitat                | MEDIUM             | To be documented |
| Soils                              | MEDIUM             | To be documented |
| Agricultural Land                  | MEDIUM             | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | MEDIUM             | To be documented |
| Community Capacity                 | NONE               | To be documented |

Table 14: Prospective Priority of Action to address Land Use Change

### **Direct Off-site Interactions**

Direct off-site interactions are the direct physical impacts from land management activities on neighbouring off-site assets such as areas of remnant native vegetation or wetlands. Such interactions may include chemical spray drift; parking or storage of machinery and equipment; or incremental drift of cultivation into the asset.

There is insufficient quality and quantity of data available to adequately describe the nature and level of impact resulting from this threatening process on this catchment asset at this time.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with direct off-site interactions with respect to each Regional Asset has been determined. They are listed Table 15 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | LOW                | To be documented |
| Threatened Species and Communities | LOW                | To be documented |
| Terrestrial Habitat                | LOW                | To be documented |
| Soils                              | LOW                | To be documented |
| Agricultural Land                  | LOW                | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | LOW                | To be documented |

# **Misaligned Community Perceptions**

Misaligned community perceptions are community opinions, approaches & values that run counter to the messages & knowledge available about natural resource management AND threaten the success of the wider communities' efforts to enhance their environment. Such perceptions include 'right of unfettered access' that results in removal of traffic management infrastructure installed near river banks; and 'we are doing no harm' where individuals are not aware of the cumulative and incremental harm of some of their actions (along with those of the rest of the community) when they are making use of our assets

There is insufficient quality and quantity of data available to adequately describe the nature and level of impact resulting from this threatening process on this catchment asset at this time. However, there is a range of anecdotal information from a range of sources that suggest the threat is present and ongoing.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with misaligned community perceptions with respect to each Regional Asset has been determined. They are listed in Table 16 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | MEDIUM             | To be documented |
| Threatened Species and Communities | MEDIUM             | To be documented |
| Terrestrial Habitat                | MEDIUM             | To be documented |
| Soils                              | LOW                | To be documented |
| Agricultural Land                  | LOW                | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | MEDIUM             | To be documented |
| Community Capacity                 | LOW                | To be documented |

Table 16: Prospective Priority of Action to address Misaligned Community Perceptions

#### **Inappropriate Fire Regimes**


Fire is an ongoing challenge for land managers and communities alike. Fire is also a major force determining the structure, function and sustainability of Australia's ecosystems. A substantial proportion of Australia's unique biota is dependent, to varying degrees, on fire and the variety of fire regimes for its continued existence and development. In this context, inappropriate fire regimes can mean either too little or too much fire

There is insufficient quality and quantity of data available to adequately describe the nature and level of impact resulting from this threatening process on this catchment asset at this time.

Using this combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with inappropriate fire regimes with respect to each Regional Asset has been determined. They are listed in Table 17 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | NONE               | To be documented |
| Threatened Species and Communities | LOW                | To be documented |
| Terrestrial Habitat                | LOW                | To be documented |
| Soils                              | NONE               | To be documented |
| Agricultural Land                  | NONE               | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | NONE               | To be documented |
| Community Capacity                 | NONE               | To be documented |

#### Table 17: Prospective Priority of Action to address Inappropriate Fire Regimes



#### Figure 14: Fire History

# **Constrained Regenerative Capacity**

The decline in vegetation cover and habitat complexity within remnant native vegetation can constrain or prevent regeneration which can lead to loss of habitat in the longer term. There are many contributors to this threatening process including weed invasion, excess grazing pressure, and habitat fragmentation. Loss of understorey flora and associated fauna are a possible outcome, also leading to a reduction in the capacity of the remnant to support flora and fauna species or maintain current population numbers, thus impacting on the biodiversity value of the asset.

Habitat fragmentation is one useful indicator of constrained regenerative capacity. A high level of fragmentation will severely limit the capacity of a vegetation community and the ecology it supports to maintain its health and reproductive capacity. It will also hamper our efforts to improve the health and condition of remnant landscapes at a broad scale due to the level of additional resources that each remnant patch would require (such as restoration or revegetation) rather than being able to simply protect the remnant (through fencing and invasive species control) and then rely upon its own internal regenerative resources to bring about an improvement in health and condition.

Modelling of habitat fragmentation using a spatial tool (Vogt, et al. 2007) demonstrates that much of this catchment asset possesses a largely intact landscape. Only in the north eastern corner of the asset area, where much of the natural vegetation has been cleared for agriculture, are there areas of isolated and fragmented habitat. These fragmented areas have been identified as having some habitat that has a high Natureprint value or is considered vulnerable in terms of its conservation status. However, in the context of the larger catchment asset area, these areas are not significant in size.

Using a combination of information gathering approaches and the application of a complimentary consultative process, the priority of action for dealing with constrained regenerative capacity with respect to each Regional Asset has been determined. They are listed in Table 18 below.

| Regional Asset                     | Priority of Action | Summary Logic    |
|------------------------------------|--------------------|------------------|
| Rivers                             | NONE               | To be documented |
| Wetlands                           | LOW                | To be documented |
| Threatened Species and Communities | LOW                | To be documented |
| Terrestrial Habitat                | LOW                | To be documented |
| Soils                              | NONE               | To be documented |
| Agricultural Land                  | NONE               | To be documented |
| Groundwater                        | NONE               | To be documented |
| Cultural Heritage                  | NONE               | To be documented |
| Community Capacity                 | NONE               | To be documented |

Table 18: Prospective Priority of Action to address Constrained Regenerative Capacity




Figure 15: Habitat Fragmentation

Section 4 – References & Appendices

#### References

Department of Agriculture, Fisheries and Forestry. *National Natural Resource Management Capacity Building Framework.* Canberra: Department of Agriculture, Fisheries and Forestry, 2005.

Gong, W., J. Sinden, M. Braysher, and R. Jones. *The economic impacts of vertebrate pests in Australia*.Canberra: Invasive Animals Cooperative Research Centre, 2009, 59.

Lorimer, M. S. "Estimating the susceptibility of soil to wind erosion in Victoria." *Journal of Australian Institute for Agricultural Science*, *51* (2), 1985: 122-127.

Mock, I., and V. Grinter. *Mapping the Mallee's Saline Land. Stage 3: Classifying Mapped Salinity. Final Report*, Irymple: Mallee Catchment Management Authority, 2009.

Vogt, P., K. Riitters, C. Estreguil, J. Kozak, T. Wade, and J. Wickham. "Mapping spatial patterns with morphological image processing." *Landscape Ecology* 22, 2007: 171-177.

### 1. The Value of Regional Assets within a Catchment Asset

The Regional Asset value indicates the relative importance of the Regional Asset within the Catchment Asset Area. The valuation is determined from a range of indicators, many specific to each of the Regional Assets, that describe the importance of the Asset relative to social, economic and environmental values. One common example of an indicator of asset value is legislative significance which provides an indication of whether part or all of a Regional Asset is of significance at a local, regional, State, National or international level. These indicators were grouped and scored by consensus against agreed criteria and then each Regional Asset within the Catchment Asset was assigned a category that defines the prospective asset value and relative importance of and priority for maintaining or improving the value of the Asset.

Five category levels were identified:

None – indicates that the Regional Asset is unknown or not present within the Catchment Asset area.

Low – indicates that the Regional Asset is of relatively low status or importance within the Catchment Asset area. It may also indicate that there is insufficient knowledge or data available to define or quantify the asset value and therefore prioritise it with confidence. Further research may be required to rectify this situation.

Medium – indicates that the Regional Asset is locally or regionally important but relatively well known or secure at the Catchment Asset scale. This may be due in part to previously successful management interventions. Ongoing monitoring may be required as will some level of intervention (particularly at a local scale) to ensure previous management gains are not lost.

**High** – indicates that the Regional Asset within the Catchment Asset Area is of significance at a regional, State or National scale and that action is likely required over the life of the RCS in order to maintain or improve the value of the Regional Asset within the Catchment Asset Area.

**Very High** - indicates that the Regional Asset within the Catchment Asset Area is of significance at a National or international scale and that action is likely required over the life of the RCS in order to maintain or improve the value of the Regional Asset within the Catchment Asset Area.

### 2. Categorising Threatening Processes

The categorisation of the threatening processes in order to prioritise management actions was based on the current scope and scale of the impacts arising from the threatening process along with consideration of potential future impact of the threatening process. The categorisation was based on consensus against agreed criteria. Each threatening process acting upon each Regional Asset was assigned a category that defines the prospective priority of action to address that threatening process.

Four category levels were identified:

**None** – indicates that either the threatening process, or the regional asset itself, is unknown or not present within the catchment Asset area.

Low – indicates that, while the threatening process is known to be present, it is at a low level or the Regional Asset itself is not overly susceptible to or impacted by the threat. It may also indicate that there is insufficient knowledge or data available to define or quantify the interaction between the asset and the threatening process and therefore prioritise it with confidence. Further research may be required to rectify this situation.

Medium – indicates that the threatening process is real but that the Regional Asset is not under immediate threat at the Catchment Asset scale. This may be due to previously successful

interventions. Ongoing monitoring will be required as will some level of intervention (particularly at a local scale) to ensure previous management gains are not lost.

High – indicates that: there is a high level of potential harm to the Asset as a result of the threatening process; there are a variety of management actions available that are known to be successful at reducing harm and which are generally supported by land managers; and that action is required over the life of the RCS in order to prevent further impact as a result of the threatening process.

## 3. Management Plans Relevant to this Catchment Asset

Table 19: Management Plans Relevant to this Catchment Asset

| Name   | Туре                      | Author/Owner   | Year |
|--|---------------------------|--|------|
| North West Region Mildura Fire District Fire Protection Plan   | Management<br>Plan        | Department of Sustainability & Environment               | 2008 |
| Victorian Mallee Irrigation Area Land and Water Management Plan (Draft)  | Management<br>Plan        | Mallee Catchment<br>Management Authority                 | 2011 |
| Mallee Parks Management Plan   | Management<br>Plan        | Parks Victoria   | 1996 |
| Mallee Wetland Strategy 2006-2011  | Strategy                  | Mallee Catchment<br>Management Authority                 | 2006 |
| Mallee Invasive Plants and Animals Management Strategy   | Strategy                  | Mallee Catchment<br>Management Authority                 | 2011 |
| Millewa Carwarp Landcare Group Action Plan 2012-2017   | Action Plan               | Millewa Carwarp Landcare<br>Group                        | 2012 |
| National Recovery Plan for Buloke Woodlands of the Riverina and Murray Darling Depression Bioregions                 | National<br>Recovery Plan | Department of Sustainability<br>& Environment (Victoria) | 2011 |
| National Recovery Plan for the Yellow Swainson-<br>pea Swainsona pyrophila   | National<br>Recovery Plan | Department of Sustainability & Environment (Victoria)    | 2010 |
| National Recovery Plan for the Bead Glasswort<br>Tecticornia flabelliformis  | National<br>Recovery Plan | Department of Sustainability & Environment (Victoria)    | 2011 |
| Flora & Fauna Guarantee Action Statement<br>Mallee Hemichroa Hemichroa diandra                                       | Action<br>Statement       | Department of Sustainability & Environment (Victoria)    | 2003 |
| Flora & Fauna Guarantee Action Statement Major<br>Mitchell's Cockatoo Cacatua leadbeateri                            | Action<br>Statement       | Department of Sustainability<br>& Environment (Victoria) | 2004 |
| Flora & Fauna Guarantee Action Statement<br>Twelve threatened Swainson-peas and Darling-<br>peas (Swainsona species) | Action<br>Statement       | Department of Sustainability<br>& Environment (Victoria) | 2003 |

# 4. Management Action Definitions

| Management<br>Action Category | Management<br>Action                               | Definition   | Threatening Processes<br>Addressed  |
|-------------------------------|--|--|---|
| On-ground Works               | Pest Plant<br>Control                              | Control and eradication of pest plant species  | Invasive Plants; Constrained Regenerative Capacity  |
|                               | Pest Animal<br>Control                             | Control and eradication of pest animal species   | Invasive Animals; Soil Erosion;<br>Constrained Regenerative<br>Capacity   |
|                               | Habitat<br>Protection                              | Habitat protection through<br>exclusion fencing or other<br>physical means   | Invasive Animals; Soil Erosion;<br>Recreational Pressure; Land Use<br>Change; Direct Off-Site<br>Interactions; Constrained<br>Regenerative Capacity |
|                               | Habitat<br>Restoration                             | Restoration of degraded terrestrial habitat by planting vegetation   | Land & Water Salinisation; Soil<br>Erosion; Recreational Pressure;<br>Direct Off-Site Interactions;<br>Constrained Regenerative<br>Capacity         |
|                               | Revegetation                                       | Re-creation of terrestrial<br>habitat by planting vegetation<br>(e.g. new wildlife corridor<br>plantings)  | Land & Water Salinisation; Soil<br>Erosion; Recreational Pressure;<br>Direct Off-Site Interactions;<br>Constrained Regenerative<br>Capacity         |
|                               | Environmental<br>Watering                          | Delivering environmental water<br>to wetlands and floodplains;<br>maintaining appropriate<br>watering regimes  | Altered Hydrological Regimes;<br>Constrained Regenerative<br>Capacity   |
|                               | Soil Erosion<br>Control                            | Control of soil erosion through<br>engineering works and other<br>structures   | Soil Erosion  |
|                               | Threatened<br>Species<br>Interventions             | Interventions to improve<br>outcomes for threatened<br>species and ecological<br>communities   | Constrained Regenerative<br>Capacity  |
|                               | Enhancing Land<br>Management<br>Regimes            | Interventions to enhance land<br>management regimes on both<br>public and private land (e.g.<br>water use efficiency on<br>irrigated land; maintaining<br>appropriate soil cover in<br>dryland agriculture; improved<br>management or protection<br>regimes) | Land & Water Salinisation; Soil<br>Erosion; Inappropriate Water Use<br>Practises; Land Use Change;<br>Direct Off-Site Interactions                  |
| Capacity Building             | Supporting<br>Human Capacity<br>for NRM            | Provision of new skills and<br>training in NRM; Delivery of<br>publicity and awareness<br>raising paraphernalia  | All   |
|                               | Supporting<br>Institutional<br>Capacity for<br>NRM | Development and support of<br>regional partnerships between<br>institutions with a stake in<br>NRM   | All   |
|                               | Supporting<br>Social Capacity<br>for NRM           | Supporting community<br>organisations that have a<br>stake in NRM by aiding  | All   |

|                    |   | governance and provision of material  |     |
|--------------------|---|---|-----|
| NRM Planning       | Institutional<br>Planning for<br>NRM            | Development and<br>implementation of NRM<br>planning by regional<br>institutions. Examples include<br>institutional NRM plans,<br>regional asset plans and sub-<br>strategies   | All |
|                    | Community<br>Driven Planning<br>for NRM         | Development and<br>implementation of NRM<br>planning by community based<br>organisations. Examples<br>include Landcare Group Action<br>Plans.   | All |
|                    | Landholder<br>Driven Planning<br>for NRM        | Development and<br>implementation of NRM<br>planning by landholders.<br>Examples include property<br>management plans and<br>conservation agreements  | All |
| Knowledge Building | Research to<br>improve<br>knowledge             | Any research or other work<br>delivered to improve or expand<br>current knowledge or fill<br>knowledge gaps in any NRM<br>topic relevant to regional<br>assets  | All |
| Asset Assessment   | Asset condition<br>monitoring and<br>assessment | Monitoring and collection of<br>data concerning indicators of<br>regional asset condition and/or<br>threatening processes<br>impacting on regional assets;<br>Efforts to determine and/or<br>evaluate trends in the<br>condition of assets or the<br>scope and scale of threatening<br>processes impacting on<br>regional assets. | All |

# 5. Management Actions from Existing Management Plans

Table 20: Management Actions from Existing Management Plans

| Instrument  | Management<br>Action                            | Details   |
|---|---|---|
| North West Region<br>Mildura Fire District Fire<br>Protection Plan            | Supporting<br>Institutional<br>Capacity for NRM | Investing in integrated fire management to balance community needs with ecological requirements |
|   | Research to<br>improve<br>knowledge             | Determining appropriate ecological fire regimes   |
| Victorian Mallee Irrigation<br>Area Land and Water<br>Management Plan (Draft) | Enhancing Land<br>Management<br>Regimes         | improving water use efficiency; modernising infrastructure                                      |

|                                 | Supporting Human<br>Capacity for NRM            | Education and community awareness development on a range of land, water and biodiversity management issues   |  |  |  |  |
|---------------------------------|---|--|--|--|--|--|
|                                 | Supporting<br>Institutional<br>Capacity for NRM | Maintaining partnerships and communication channels amongst regional and State partners  |  |  |  |  |
|                                 | Institutional<br>Planning for NRM               | Considerable (and diverse) planning and policy<br>development to enhance water trading rules, improve<br>efficiency of water use and incorporate environmental<br>watering into the water management process     |  |  |  |  |
|                                 | Landholder Driven<br>Planning for NRM           | Whole farm planning for irrigation properties  |  |  |  |  |
|                                 | Research to<br>improve<br>knowledge             | Various research topics on water use efficiency<br>improvements and the potential impacts of irrigation on<br>biodiversity and land use management   |  |  |  |  |
|                                 | Asset condition<br>monitoring and<br>assessment | waterway salinity, groundwater and irrigation drainage monitoring  |  |  |  |  |
| Mallee Parks<br>Management Plan | Pest Plant Control                              | reducing the impact of pest plants on native species and communities   |  |  |  |  |
|                                 | Pest Animal<br>Control                          | reducing the impact of pest animals on native species and communities  |  |  |  |  |
|                                 | Habitat Protection                              | the existing diversity of native flora and fauna will be<br>maintained, and a management regime of minimal<br>disturbance adopted. Significant natural and cultural<br>features will be given special protection |  |  |  |  |
|                                 | Habitat<br>Restoration                          | active revegetation in areas of localised extinction and<br>rarity; adopting manipulative fire regimes where they can be<br>demonstrated to be of value to the Parks' environments and<br>ecosystems             |  |  |  |  |
|                                 | Revegetation                                    | Wildlife corridors between the Parks and other major blocks of public land in the region will be established   |  |  |  |  |
|                                 | Environmental<br>Watering                       | Restoring a more natural hydrological regime within all Parks  |  |  |  |  |
|                                 | Threatened<br>Species<br>Interventions          | Manage Flora and Fauna Guarantee listed species and communities according to approved action statements  |  |  |  |  |
|                                 | Supporting Human<br>Capacity for NRM            | Numerous actions to assist visitors to discover, enjoy and<br>appreciate the natural and cultural features of the Mallee<br>Parks, and the value of National Parks and their<br>management                       |  |  |  |  |
|                                 | Supporting<br>Institutional<br>Capacity for NRM | Liaise with local community groups and land holders and,<br>as appropriate, involve them in relevant aspects of planning<br>and managing the Parks   |  |  |  |  |
|                                 | Research to<br>improve<br>knowledge             | Encourage research on Mallee ecosystems, vegetation communities, and significant flora and fauna species   |  |  |  |  |
|                                 | Asset condition<br>monitoring and<br>assessment | Monitor control and rehabilitation programs  |  |  |  |  |
|                                 | Pest Plant Control                              | Focus on willows and aquatic weeds   |  |  |  |  |

| Mallee Wetland Strategy 2006-2011                           | Pest Animal<br>Control                          | Focus on rabbits & carp   |  |  |  |  |  |  |
|---|---|---|--|--|--|--|--|--|
|   | Habitat Protection                              | Identification of priority sites; protection from stock grazing   |  |  |  |  |  |  |
|   | Habitat<br>Restoration                          | Identification of priority sites with works to occur at five of them across the region  |  |  |  |  |  |  |
|   | Environmental<br>Watering                       | Determine appropriate water regimes   |  |  |  |  |  |  |
|   | Threatened<br>Species<br>Interventions          | Identify three prioirty species and implement key recommendations from their Action Statements or Recover Plans as relevant to wetlands   |  |  |  |  |  |  |
|   | Supporting Human<br>Capacity for NRM            | Raising awareness and improving knowledge of wetland values and threats in the community; improving knowledge of indigenous wetland values  |  |  |  |  |  |  |
|   | Institutional<br>Planning for NRM               | preperation and implementation of local planning overlays and wetland management plans  |  |  |  |  |  |  |
|   | Research to<br>improve<br>knowledge             | improve knowledge of wetland values and threats to those values   |  |  |  |  |  |  |
|   | Asset condition<br>monitoring and<br>assessment | Determine wetland condition; monitor responses arising from interventions   |  |  |  |  |  |  |
| Mallee Invasive Plants                                      | Pest Plant Control                              | prevent new introductions; contain high risk weed species   |  |  |  |  |  |  |
| and Animals<br>Management Strategy<br>2011                  | Pest Animal<br>Control                          | prevent new introductions; contain high risk pest animal species  |  |  |  |  |  |  |
|   | Supporting Human<br>Capacity for NRM            | improve community knowledge and awareness of invasive plants and animals and methods of control   |  |  |  |  |  |  |
|   | Supporting<br>Institutional<br>Capacity for NRM | support partnership arrangements between organisations<br>with responsibilities for control and management of invasive<br>plants and animals  |  |  |  |  |  |  |
|   | Supporting Social<br>Capacity for NRM           | Support community organisations carrying out targeted<br>invasive plant and animal management with information,<br>education, extension, enforcement and the identification of<br>funding opportunities; Actively seek community participation<br>and create partnerships with community groups in all IPA<br>management project and programs |  |  |  |  |  |  |
|   | Asset condition<br>monitoring and<br>assessment | monitor invasive plants and animals against both past interventions and for future actions;   |  |  |  |  |  |  |
| National Recovery Plan<br>for Buloke Woodlands of           | Pest Plant Control                              | Weed management in critical habitat for species likely to significantly alter character of Buloke Woodland  |  |  |  |  |  |  |
| the Riverina and Murray<br>Darling Depression<br>Bioregions | Habitat<br>Restoration                          | in planting within degraded remnants; re-introduction of keystone community species   |  |  |  |  |  |  |
|   | Supporting Human<br>Capacity for NRM            | Raise community awareness of Buloke woodland community; encourage community participation in restoration activites  |  |  |  |  |  |  |
|   | Institutional<br>Planning for NRM               | prepare and implement management plans for public reserves containing Buloke community  |  |  |  |  |  |  |
|   | Landholder Driven<br>Planning for NRM           | encourage and support the creation of covenants to protect remnants on private land   |  |  |  |  |  |  |

|   | Research to<br>improve<br>knowledge             | improve knowledge of ecological requirements   |
|---|---|--|
| National Recovery Plan<br>for the Yellow Swainson-<br>pea Swainsona pyrophila | Threatened<br>Species<br>Interventions          | ex-situ seedbank   |
|   | Supporting Human<br>Capacity for NRM            | increase community knowledge/support for conservation  |
|   | Landholder Driven<br>Planning for NRM           | encourage use of covenants or similar to protect populations found on private land   |
|   | Research to<br>improve<br>knowledge             |  |
|   | Asset condition<br>monitoring and<br>assessment |  |
| National Recovery Plan  | Pest Plant Control                              | weed management as required  |
| for the Bead Glasswort<br>Tecticornia flabelliformis                          | Pest Animal<br>Control                          | rabbit and hare management as required   |
|   | Habitat Protection                              | fencing to protect from grazing animals  |
|   | Threatened<br>Species<br>Interventions          | establishment of seed bank   |
|   | Supporting Human<br>Capacity for NRM            | increase community knowledge/support for conservation  |
|   | Research to<br>improve<br>knowledge             | improve knowledge of ecological requirements/potential habitat/recovery techniques   |
| Flora & Fauna Guarantee   | Habitat Protection                              | fencing to protect from grazing animals  |
| Action Statement Mallee<br>Hemichroa Hemichroa<br>diandra                     | Threatened<br>Species<br>Interventions          | translocation  |
|   | Supporting Human<br>Capacity for NRM            | signage  |
|   | Research to<br>improve<br>knowledge             | propogation research   |
|   | Asset condition<br>monitoring and<br>assessment | population monitoring  |
| Flora & Fauna Guarantee<br>Action Statement Major                             | Habitat<br>Restoration                          | conserve and enhance species preferred habitat   |
| Mitchell's Cockatoo<br>Cacatua leadbeateri                                    | Supporting Human<br>Capacity for NRM            | Raise community awareness of species; trainning and extension to improve staff and community knowledge of species requirements |
|   | Research to<br>improve<br>knowledge             | improve knowledge of ecological requirements/potential habitat/recovery techniques   |

| Flora & Fauna Guarantee<br>Action Statement Twelve | Pest Plant Control                              | Control competing weeds in known populations   |  |  |  |  |  |
|--|---|--|--|--|--|--|--|
| threatened Swainson-<br>peas and Darling-peas      | Habitat Protection                              | Exclusion of stock and vehicular access to known habitat/populations   |  |  |  |  |  |
| (Swainsona species)                                | Supporting Human<br>Capacity for NRM            | Raise community awareness of species   |  |  |  |  |  |
|  | Institutional<br>Planning for NRM               | prepare and implement management plans for public reserves containing species  |  |  |  |  |  |
|  | Landholder Driven<br>Planning for NRM           | Encourage and support a) fencing of remnant habitat;<br>and/or b) the creation of covenants; to protect species on<br>private land |  |  |  |  |  |
|  | Research to<br>improve<br>knowledge             | improve knowledge of ecological requirements/potential habitat/recovery techniques   |  |  |  |  |  |
|  | Asset condition<br>monitoring and<br>assessment | Species population monitoring; threat status monitoring  |  |  |  |  |  |
| Millewa Carwarp<br>Landcare Group Action           | Pest Animal<br>Control                          | rabbit control   |  |  |  |  |  |
| Plan 2012-2017                                     | Supporting<br>Institutional<br>Capacity for NRM | improve group governance; develop group capacity; partnership with TfN   |  |  |  |  |  |
|  | Supporting Social<br>Capacity for NRM           | support for Junior Landcare  |  |  |  |  |  |
|  | Community Driven<br>Planning for NRM            | identify and plan for biodiversity assets within group area  |  |  |  |  |  |

# 6. Prioritising Potential Management Actions

Potential management action categories are prioritised in terms of:

- the value of a regional asset within the catchment asset area;
- the priority to address a threatening process to those values;
- the capacity of the management action to address the threatening process; and
- the level of investment (in both of time and money) required to exercise that capacity.

Individual management actions are grouped and scored by consensus against agreed criteria and then each potential management action group within the Catchment Asset is assigned to a category that defines the prospective priority to the implementation.

Four category levels were identified:

**None** – indicates that either the management action group not contained in management plans relevant to the Catchment Asset area or the targeted threatening processes that it addresses is unknown or not present within the Catchment Asset area.

Low – typically indicates either that the targeted threatening processes are of low priority within this Catchment Asset area or the management action category is known to be generally not effective at mitigating the threatening process. It may also indicate that there is insufficient knowledge or data available to define or quantify the effectiveness of the management action to mitigate the threatening process and therefore prioritise it with confidence. Further research may be required to rectify this situation.

Medium – typically indicates that the targeted threatening processes are of medium priority within this Catchment Asset area and the management action category is known to be generally effective at mitigating the threatening process and is within the region's capacity to implement over the life of the RCS. It may also indicate that there is some uncertainty with the effectiveness of the potential management action upon a high priority threatening process in terms of either the scale of the threat, the known capacity of the action or the investment required to exercise that capacity.

**High** – indicates that the targeted threatening processes are of high priority within this Catchment Asset area and the management action category is known to be effective at mitigating the threatening process and is within the region's capacity to implement over the life of the RCS and that action is required urgently in order to prevent further impact as a result of the threatening process.

#### 7. Management Action Priorities

#### **Threatening Processes Priority of Action**

Table 21 below represents the findings of a group based analysis in June 2013 of the threat level posed by threatening processes upon Regional Assets within this Catchment Asset based on the criteria contained in Appendix 2. *Categorising Threatening Processes*. The bottom row of the table contains a median 'score' for the threat level posed by each of the threatening processes across the Catchment Asset. These 'scores' are the same as those shown in Table 2.

|                           | Land & water salinisation | Invasive<br>Plants | Invasive<br>Animals | Altered<br>Hydrological<br>Regimes | Soil<br>Erosion | Inappropriate<br>Water<br>Use<br>Practices | Recreational<br>Pressures | Land<br>Use<br>Change | Direct<br>off-site<br>interactions | Misaligned<br>community<br>perceptions | Inappropriate<br>fire regimes | Constrained<br>regenerative<br>capacity |
|---------------------------|---------------------------|--------------------|---------------------|------------------------------------|-----------------|--|---------------------------|-----------------------|------------------------------------|--|-------------------------------|---|
| Rivers                    | none                      | none               | none                | none                               | none            | none                                       | none                      | none                  | none                               | none                                   | none                          | none                                    |
| Wetlands                  | high                      | high               | high                | medium                             | medium          | medium                                     | high                      | high                  | low                                | medium                                 | none                          | high                                    |
| Threatened<br>Species     | medium                    | medium             | high                | medium                             | medium          | medium                                     | high                      | high                  | low                                | medium                                 | medium                        | high                                    |
| Terrestrial<br>Habitat    | high                      | high               | high                | medium                             | high            | medium                                     | high                      | high                  | low                                | medium                                 | medium                        | high                                    |
| Soils                     | medium                    | low                | medium              | medium                             | high            | medium                                     | none                      | high                  | low                                | low                                    | none                          | none                                    |
| Agricultural Land         | high                      | low                | high                | medium                             | high            | medium                                     | none                      | high                  | low                                | low                                    | none                          | none                                    |
| Groundwater               | none                      | none               | none                | none                               | none            | none                                       | none                      | none                  | none                               | none                                   | none                          | none                                    |
| Cultural Heritage         | none                      | high               | medium              | medium                             | high            | medium                                     | high                      | medium                | low                                | medium                                 | none                          | none                                    |
| Community<br>Capacity     | none                      | none               | none                | none                               | none            | none                                       | none                      | none                  | none                               | low                                    | none                          | none                                    |
| ALL<br>REGIONAL<br>ASSETS | High                      | Medium             | High                | Medium                             | High            | Medium                                     | High                      | High                  | Low                                | Medium                                 | Medium                        | High                                    |

#### Table 21: Threatening Process Priority of Action Summary

#### Management Action Priority Matrix

The table below represents the findings of an integration and analysis of the following components:

- the threatening processes priority of action table shown above;
- the management actions from existing management plans shown in Table 20;
- knowledge and evidence supporting past successes (or otherwise) of various management actions in the Mallee or in this Catchment Asset area; and
- the likelihood of implemented management actions addressing or mitigating threatening processes over the life of the RCS.

The criteria used to apply a value to each management action against each Regional Asset is contained in Appendix 6. *Prioritising Potential Management Actions*. The far right column of the table contains a median 'score' for each the management action priority across the Catchment Asset. These 'scores' are the same as those shown in Table 3.

|  | Rivers | Wetlands | Threatened<br>Species | Terrestrial<br>Habitat | Soils  | Agricultural<br>Land | Groundwater | Cultural<br>Heritage | Community<br>Capacity | Across All<br>Assets |
|--|--------|----------|-----------------------|------------------------|--------|----------------------|-------------|----------------------|-----------------------|----------------------|
| Pest Plant Control                           | None   | High     | High                  | High                   | Low    | Medium               | None        | High                 | None                  | High                 |
| Pest Animal Control                          | None   | High     | High                  | High                   | Medium | High                 | None        | High                 | None                  | High                 |
| Habitat Protection                           | None   | High     | High                  | High                   | Medium | Medium               | None        | High                 | None                  | High                 |
| Habitat Restoration                          | None   | Medium   | Medium                | Medium                 | Low    | Low                  | None        | High                 | None                  | Medium               |
| Revegetation                                 | None   | Low      | Low                   | Medium                 | Low    | Low                  | None        | Low                  | None                  | Low                  |
| Environmental Watering                       | None   | Low      | Low                   | Low                    | Low    | Low                  | None        | Low                  | None                  | Low                  |
| Soil Erosion Control                         | None   | Medium   | Medium                | Medium                 | Medium | High                 | None        | High                 | None                  | Medium               |
| Threatened Species<br>Interventions          | None   | Medium   | High                  | High                   | None   | None                 | None        | None                 | None                  | High                 |
| Enhancing Land<br>Management Regimes         | None   | High     | Medium                | High                   | High   | High                 | None        | Medium               | None                  | High                 |
| Supporting Human<br>Capacity for NRM         | None   | Medium   | Medium                | Medium                 | Low    | Medium               | None        | Medium               | Medium                | Medium               |
| Supporting Institutional<br>Capacity for NRM | None   | Medium   | Medium                | Medium                 | Low    | Low                  | None        | Medium               | Low                   | Medium               |
| Supporting Social<br>Capacity for NRM        | None   | Medium   | Low                   | Medium                 | Low    | Low                  | None        | Medium               | Medium                | Medium               |
| Institutional Planning<br>for NRM            | None   | High     | High                  | High                   | Medium | Medium               | None        | Medium               | Low                   | Medium               |

#### Table 22: Management Action Priority Summary

| Community Driven<br>Planning for NRM            | None | Medium | Low    | Medium | Low    | Medium | None | Low    | Low    | Low    |
|---|------|--------|--------|--------|--------|--------|------|--------|--------|--------|
| Landholder Driven<br>Planning for NRM           | None | Medium | Medium | Medium | Medium | High   | None | Medium | Low    | Medium |
| Research to<br>improve knowledge                | None | Medium | Medium | High   | Medium | Medium | None | Medium | Medium | Medium |
| Asset condition<br>monitoring and<br>assessment | None | Medium | Medium | High   | Medium | Medium | None | Medium | Low    | Medium |

Therefore, the highest priority management actions within this Catchment Asset over the life of the Regional Catchment Strategy should be:

- Pest Plant Control;
- Pest Animal Control;
- Habitat Protection
- Threatened Species Interventions; and
- Enhancing Land Management Regimes.

Implementation of these actions should provide the greatest impact on the mitigation of the most concerning threatening processes within this Catchment Asset and make a significant contribution to the achievement of the expected outcomes of the Mallee Regional Catchment Strategy.

#### Mallee Catchment Management Authority www.malleecma.vic.gov.au PO Box 5017 Mildura 3502 Telephone 03 5051 4377 Facsimile 03 5051 4379